

Influenza Situation Report

2013-2014 Seasonal Influenza Week 11

(Mar 9 – Mar 15, 2014)

Marion County Public Health Department, IN 2014-03-21, DR2166


Please send comments or suggestions about content to epidemiology@hhcorp.org.

Current Local Trends

- The percent of ED visits with a chief complaint of influenza-like illness (ILI) is 1.32% of all ED visits.
- Children under the age of 5 have the highest age-specific percent ILI (3.5%). This is higher than the previous week.
- There have been no additional influenza related deaths reported in Marion County during Week 11; there are a total of 11 deaths through the reporting period.
- ISDH is reporting statewide 1.35% ILI in ED visit surveillance (a slight increase from last week); 61 deaths associated with influenza have been reported by ISDH for this season.
- During week 11, the national shift from Influenza A to B continues with 31% of positive influenza samples testing as Influenza B. However, Influenza A H1N1 remains the predominant local strain.

Emergency Department Visits for Influenza-Like Illness

Figure 1. Percent Influenza-like Illness of all Marion County Hospital ED Visits, Current Year and Previous Seasons




Last updated 15MAR2014 06:30

Data Source: ISDH Public Health Surveillance System, MCHD Epidemiology DR1202

Figure 2. Weekly Count of ILI ED Visits for Marion County Hospitals, by Age Group (Only includes currently contributing hospital systems)

Weekly ILI ED Visits at Reporting Marion County Facilities, by Age group



Data Source: ISDH Public Health Surveillance System, MCHD Epidemiology

Table 1. Age group specific percent of ILI ED Visits at Marion County Hospitals, by Age Group

Age Group (years)	Current Week % ILI	Previous 4 Week Average % ILI (Avg)
<5	3.5%	2.6%
5-17	2.5%	1.9%
18-64	1.0%	1.3%
65+	0.4%	0.6%
Unknown	0.0%	0.0%
Total	1.32%	

Figure 1 represents the percent of all ED visits that were categorized as influenza-like illness. The percent ILI is at 1.32% (a slight increase from last week).

Pediatric age groups are still experiencing higher percent ILI than the adult populations. There was a slight resurgence this past week in both pediatric age groups.

ILI visit means that the patient reported fever with cough or sore throat, or used the word "flu" to describe either their symptoms or their reason for the ED visit.

Influenza Situation Report

2013-2014 Seasonal Influenza Week 11

(Mar 9 – Mar 15, 2014)

Marion County Public Health Department, IN 2014-03-21, DR2166

Please send comments or suggestions about content to epidemiology@hhcorp.org.

Indiana

http://www.in.gov/isdh/files/Weekly_Influenza_Report_Week_11_2013_2014.pdf

- Indiana is experiencing sporadic, minimal influenza activity. For Week 11, ISDH reports 1.06% ILI at sentinel provider sites and 1.35% ILI ED visits. This is a decrease in sentinel surveillance and a slight increase in ED surveillance compared to last week.
- Three additional death has been reported in Indiana (2 aged 50-64 and 1 aged 65+), bringing the total mortalities to 61.
- 98% of influenza positive laboratory samples at the state lab have tested positive for the 2009 A/H1N1 pandemic variant. There have been 4 positive A-H3N2 and 3 Influenza B positive test.

National

<http://www.cdc.gov/flu/weekly/>

- During Week 11, the majority of states are reporting local influenza activity by state and territorial epidemiologists; Indiana is reporting sporadic activity. In addition, during week 11, 1.7% of patient visits reported through the U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet) were due to influenza-like illness (ILI). This is a decrease from the previous week (Week 10=2.0%) and below the national baseline (2.0%).
- The seasonal vaccine continues to be a good match to circulating virus and interim vaccine effectiveness is estimated to be 61%: http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6307a1.htm?s_cid=mm6307a1_w
- CDC reports 7 confirmed influenza pediatric deaths for Week 11, increasing the season mortality to 75. CDC does not report adult influenza deaths, however, the percent of all mortality associated with pneumonia and influenza has decreased to 7.1%; this is *below* the epidemic threshold of 7.4% for week.
- Nationally, hospitalizations are occurring in greater percentages in patients 18-64. Elderly patients 65 and older still represent the highest rate of hospitalizations, however, represent a smaller proportion of influenza hospitalized cases. 61% of hospitalized patients are between 18-64 years old.

