

Marion County Influenza Situation Report 2021-2022 Seasonal Influenza Week 02 (January 09, 2022 - January 15, 2022)




Marion County Public Health Department, IN 2022-01-18

Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to epidemiology@marionhealth.org, with subject "Add to Weekly Flu Report distribution list".

Influenza-like Illness ED visits in Marion County have decreased since week 01 but are higher than usual.

Percent of ILI related ED Visits



DR1202 Fereshteh Gholipour MCPHD EPI (epidemiology@marionhealth.org) Data Source: ISDH ESSENCE 2022-01-18

- Emergency Department (ED) visits with Influenza-like Illness (ILI) symptoms, for all ages, continue to decrease during week 02 but still are high. This year has the fourth highest ILI-related ED visit percentage for Week 02 in the past ten influenza seasons.
- During Week 02 (Jan.09 to Jan.15), **3.03% of Marion County ED visits had ILI symptoms**. ED visits with ILI symptoms have decreased since Week 01 (3.45%). The median percent of ILI-related ED visits for Week 02 in the last 5 years (2018-2022) was 3.03%.
- Among Marion County hospitals' ED population, ILI was most common in the **0-4 age group** (8.75%). This rate is slightly higher than the percentage of ILI visits for ages 0-4 for Week 01 (8.65%). The median percent of ILI-related ED visits for ages 0-4 over the last 5 years was 7.26%.
- ED visits for respiratory syncytial virus (RSV) for 0-4 years old have increased since last week and will likely be higher in January than in previous years.
 - RSV is a common respiratory virus that is the most common cause of bronchiolitis and pneumonia for children under 1 year of age in the U.S.
- The COVID-19 pandemic may impact the Indiana Syndromic ILI data. Surveillance indicators that monitor outpatient and ED visits for ILI will detect visits for other respiratory illnesses with similar symptoms, including COVID-19.

Note: ILI (Influenza-Like Illness) visit means that the patient reported fever with cough or sore throat or used the word "flu" or "influenza" to describe either their symptoms or their reason for the ED (Emergency Department) visit.

Marion County Influenza Situation Report 2021-2022 Seasonal Influenza Week 02 (January 09, 2022 - January 15, 2022)




Marion County Public Health Department, IN 2022-01-18

Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to epidemiology@marionhealth.org, with subject "Add to Weekly Flu Report distribution list".

Percent of ILI related ED Visits by Age Group



DR1202 Fereshteh Gholipour MCPHD EPI (epidemiology@marionhealth.org) Data Source: ISDH ESSENCE 2022-01-18

Marion County (Week 01)

- The percentage of ILI-related ED visits was 3.45%.
- Infants and toddlers aged 0-4 had the highest age-specific percent of ILI-related ED visits (8.65%).

Indiana (Week 01)

<https://www.in.gov/health/erc/files/Weekly-Flu-Report-Week-1-2021-2022.pdf>

- Indiana is experiencing Moderate ILI activity. For Week 01, IDOH reported 2.81% ILI at sentinel provider sites and 2.76% ILI at ED and urgent care visits.
- There have been **Eight (8) influenza-associated death** this season. One death occurred during Week 38, which was outside of the regular flu reporting season (Weeks 40-20).
- Four (4) specimens were tested at the IDOH Laboratory during Week 01. One (1) was detected as Influenza A/H3 seasonal virus and three (3) were detected as Influenza negative.

National (Week 01)

<https://www.cdc.gov/flu/weekly/index.htm>

Note: ILI (Influenza-Like Illness) visit means that the patient reported fever with cough or sore throat or used the word "flu" or "influenza" to describe either their symptoms or their reason for the ED (Emergency Department) visit.

Marion County Influenza Situation Report

2021-2022 Seasonal Influenza Week 02 (January 09, 2022 - January 15, 2022)



Marion County Public Health Department, IN 2022-01-18

Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to epidemiology@marionhealth.org, with subject "Add to Weekly Flu Report distribution list".



- **Seasonal influenza activity in the United States slightly decreased last week but remains high. The majority of jurisdictions had moderate to high influenza activity.**
- **Of outpatient visits to a healthcare provider, 4.3% were ILI-related**, as reported through the U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet).
- **Three (3) influenza-associated pediatric deaths** have been reported to CDC this flu season. One (1) influenza- associated pediatric death was reported for week 01.
- During Week 01, **2.2% of clinical laboratory specimens were positive for influenza**. This rate is **lower** than Week 52 (3.8%).
- During Week 01, **617 (1.1%) specimens were positive at public health laboratories**. This rate is lower than Week 52 (2.2%).

Note: ILI (Influenza-Like Illness) visit means that the patient reported fever with cough or sore throat or used the word "flu" or "influenza" to describe either their symptoms or their reason for the ED (Emergency Department) visit.