

Influenza Situation Report

2014-2015 Seasonal Influenza Week 12

(Mar. 22 – Mar. 28, 2015)

Marion County Public Health Department, IN 2015-04-03,

Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to sjacobs@hhcorp.org, with the subject "Add to Weekly Flu Report distribution list".

Summary

- The incidence of influenza-like-illness has been fairly stable since early February, at an average 1.3% of cases presenting at emergency rooms in Marion County.
- This is a notable drop from the peak of 4.6% last December. During the summer off-season, percent ILI averages 0.5%.


Local (Week 12, Mar. 22 – 28)

http://www.mchd.com/FLU/Flu_edv.htm

- The percent and count of ED visits associated with ILI is 1.1% and 130, respectively.
- The age group 0-4 has the highest percent ILI at 4.0%.
- The total number of influenza associated deaths in Marion County this flu season is 19.


Emergency Department Visits for Influenza-Like Illness

Figure 1. Percent Influenza-like Illness of all ED Visits at Marion County Hospitals, Current Year and Previous Seasons



Data Source: ISDH Public Health Surveillance System, MCHD Epidemiology

Figure 2. Weekly Count of ILI ED Visits for Marion County Hospitals, by Age Group (Only includes currently contributing hospital systems)



Data Source: ISDH Public Health Surveillance System, MCHD Epidemiology

Table 1. Age group specific percent of ILI ED Visits at Marion County Hospitals, by Age Group

Age Group (years)	Week 12 %ILI	Week 8-11 Average %ILI (Avg.)
<5	4.3%	3.5%
5-17	2.1%	2.4%
18-64	0.6%	1.0%
65+	0.3%	0.4%
Aggregate	1.1%	1.3%

Figure 1 represents the percent of all ED visits that were categorized as ILI. The overall percent ILI for Week 12 is 1.1% (a decrease from last week).

ILI visit means that the patient reported fever with cough or sore throat, or used the word "flu" to describe either their symptoms or their reason for the ED visit.

Influenza Situation Report

2014-2015 Seasonal Influenza Week 12

(Mar. 22 – Mar. 28, 2015)

Marion County Public Health Department, IN 2015-04-03,

Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to sjacobs@hhcorp.org, with the subject "Add to Weekly Flu Report distribution list".

State (Week 12, Mar. 22 – 28)


http://www.in.gov/isdh/files/Weekly_Influenza_Report_Week_12_2014-2015.pdf

- Indiana is experiencing *minimal* and *regional* influenza activity.
- ISDH reports 0.96% ILI at sentinel provider sites and 1.49% ILI at ED visits. This is a decrease in sentinel surveillance and an increase in ED surveillance compared to last week.
- The total number of mortalities in Indiana this flu season is 139.
- Among samples tested at the state lab during Week 12, 2 specimens tested positive for Influenza A/H3 seasonal virus, and 8 specimens tested positive for Influenza B seasonal virus.

National (Week 12, Mar. 22 – 28)

<http://www.cdc.gov/flu/weekly/>

Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILINet
2014-15 Influenza Season Week 12 ending Mar 28, 2015



- The majority of states are reporting *minimal* and *local* influenza activity.
- An estimated 2.0% of patient visits reported through the U.S. Outpatient Influenza-like Illness Surveillance Network were due to ILI. This is a decrease from the previous week (2.2%) and at the national baseline (2.0%).

Influenza Situation Report

2014-2015 Seasonal Influenza Week 12

(Mar. 22 – Mar. 28, 2015)

Marion County Public Health Department, IN 2015-04-03,

Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to sjacobs@hhcorp.org, with the subject "Add to Weekly Flu Report distribution list".

- CDC reports 7 confirmed influenza-related pediatric deaths, increasing the season mortality total to 123.
- The highest rates of hospitalization are in patients of age 65 and older (296.2 per 100,000 population) and 0-4 (52.8 per 100,000 population).
- "Among all hospitalizations, 14,782 (90.3%) were associated with influenza A, 1,443 (8.8%) with influenza B, 79 (0.5%) with influenza A and B co-infection, and 73 (0.4%) had no virus type information. Among those with influenza A subtype information, 4,887 (99.7%) were A(H3N2) and 12 (0.3%) were A(H1N1)pdm09."

Significant Influenza B Increase

- The number of confirmed Influenza B cases in the past week was low both in Indiana and Marion County.

The table below indicates the vaccine effectiveness rates for Influenza B for the current, and previous three, flu seasons.

Flu Season	Vaccine Effectiveness	95% Confidence Interval
2011-2012	58%	35-73%
2012-2013	67%	51-78%
2013-2014	N/A	N/A
2014-2015	45%	14-65%

Note: For the 2013-2014 flu season, the CDC's published vaccine effectiveness study did not calculate a vaccine effectiveness rate specifically for Influenza B, which is why this measure is not available (N/A) in the chart above.

Visitor Restrictions Lifted

- As of March 1st, 2015, the Indianapolis Patient Safety Coalition has lifted the patient visitor restrictions at Marion County hospitals.

CDC Health Advisory

<http://emergency.cdc.gov/han/han00375.asp>

- "Approximately two-thirds of H3N2 viruses that have been tested at CDC are antigenically or genetically different from the H3N2 vaccine virus."



Influenza Situation Report

2014-2015 Seasonal Influenza Week 12

(Mar. 22 – Mar. 28, 2015)

Marion County Public Health Department, IN 2015-04-03,

Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to sjacobs@hhcorp.org, with the subject "Add to Weekly Flu Report distribution list".

- CDC is reminding clinicians of the efficacy of influenza antiviral medications in treating patients and reducing complications.